

# OCPP -80M QR

OCPP--80M

mm

260mm / sec

100

+ USB + LAN

|         |   |
|---------|---|
| mm      | mm  |
| mm size | ANK A 12 * 24 B 9 * 17 / 24 * 24  |
| C       | 576 / 512   |
|         | PC347<br>PC850 PC860<br>PC863 PC865<br>WPC1252 PC866 2 PC852 2<br>PC858 2 PT151 1251            |
|         | UPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 / CODABAR / ITF /<br>CODE39 / CODE93 /<br>128           |
| mm      | 260   |
| mm      | 1024K   |
| w ^     | 79.5 ± 0.5  |
| MCBF    | 100   |
| C       | ESC / POS   |
| d C     | DC24V / 1A  |
| Tick    | 0.06-0.08   |
|         |   |
| P       | 79.5 ± 0.5 * φ83  |
|         | + USB +   |
| s       | Win 9X / Win ME / Win 2000 / Win 2003 / Win NT / Win XP / Win<br>Vista / win 7&8 / Linux/ win10 |
| mm      | DC24V / 2.5A  |
| mm      | AC 110V / 220V 50 60Hz; 24V / 2.5A  |
|         | 1 85x140x134 * *  |
|         | 1.48  |



OCPP-80M





OCP-80M





OCPP-80M





**ocom**  
Thermal Receipt Printer  
Model: OCPP-80M  
Paper Width: 80mm  
Print Speed: 200mm/s  
Power Input: 24V 2.5A  
Interface: RS232-USB-LAN  
Certified Supply: 80038228  
CE FC CB RoHS  
MADE IN CHINA