

80mm

OCPP -80P



Table

Model	OCPP
Application	ESC / POS
Resolution	576 dots / line
Max Paper Size	max = 72mm.
Connectivity	USB / USB + LAN / URL / USB + WiFi / URL + WiFi
Print Speed	200mm / s
Print Width	80mm
Print Resolution	0.06mm
Roll Diameter	Ø83mm
Roll Weight	256kbytes.
NV Flash	128kbytes.
Print Language	ESC/POS
Barcode	1D: UPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODE39 / ITF / CODABAR / CODE93 / CODE128 2D: QR / PDF417 / USB
Supported Languages	PC347, PC850, PC860, PC863, PC865, WPC1252, PC866, PC852, PC858, PT151, 1251
1D	UPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODE39 / ITF / CODABAR / CODE93 / CODE128
2D	QR / PDF417 / USB
Print Speed	100mm/s
Power	AC 100V-240V 50 / 60Hz
Power	DC 24V / 2.5A
Operating Temp	0°C ~ 45°C / 10% ~ 80% RH
Storage Temp	-10°C ~ 60°C / 10% ~ 90% RH
OS	Windows XP / Vista / Win7 / Win8 / Win10 / Win 2000 / Win CE / O POS / J POS
SDK	Android / iOS



**Attention:** Press FEED or re-start to reset cutter when it or cover sticks. If not, open here and turn the gear to reset cutter.

OFF ON



