□□□□□□□□80MM□□□□□□□□□□□□

□□□□OCPP -80Q□

□□□

□□8□□□□□□□□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□

100M□□□□□□□□□□□□□□□□

256KB NV□□□□□256kb□□□□□□□□

48□□□80mm□□□□□□□□□□□□□

□O POS / J POS□□□□

100KM□□□□□□□□□

□□□□□

□□□□	□□□
□□	□□/ POS
□□□	576□/□□512□/□
□□□□	□□= 72mm
□□□□	□□□□□
□□	USB / UR / UL / URL / U + BT / U + WIFI / URL + BT / URL + WIFI
□□□□	200mm / s□U / UR□ 230mm / s□UL□ 260mm / s□U + BT / U + WIFI / URL / URL + BT / URL / WIFI□
□□	48□□/ 52□□/ 56□□/ 64□□/ 68□□/ 76□□/ 80□□
□□□□	0.06□0.08□□
□□	□□Ø83□□
□□	□□□□□□□□□□
□□□□□	256KB
NV Flash	256KB
□□□□	□□A□12 * 24□□□□□□□B□9 * 17
□□	GB18030□BIG5 24x24□
□□/□□	□□
□□□□□□	PC347□□□□□□□□□□□PC850□□□□□□PC860□□□□□□□PC863□□□□-□□□□PC865□□□□□□□□□□□□□□□□□□□□□□□□□□□WPC1252□PC866□Cyrillic□2□□ PC852□Latin2□□ PC858□□□II□□□□□□□□□□□□PT151□1251□□□
□□	UPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□/ CODE39 / ITF / CODABAR / CODE93 / CODE128
2D	QR□□□□USB□UR□□□□□QR□□□□
□□□□□	100□□
□□□□	□□
□□□□	□□□
□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□	□□100V-240V 50 / 60HZ
□□	□□24V / 2.5A
□□□□	0°C□45°C□10□□80□RH
□□□□	-10°C-60°C□10□□90□RH

□□	□□□□□□□□□□□□□□□□□□□□CD□□□□□□□□ □□□□□□□□	
□□□□	196□□□x145□□□x135□□□mm	
□□	1.14□□	
□□□	1.5□□	
□□□□	□□30X19X18cm□LXWXH□	1□/□
□□	□□62X36X52cm□LXWXH□	12□/□
□□	Windows XP / Vista / Win7 / Win8 / Win10 / Win 2000 / Win CE / O POS / J POS	
□□□	Android□IOS	

ocom®
At your side
OCPP-80Q
ISO
FC
CE
RoHS

ocom®

At your side

OCPP-80Q

ISO FC CE RoHS

Ocom®

At your side

OCPP-80Q

ISO FC CE RoHS

ocom®

At your side

OCPP-80Q

ISO FC CE RoHS

Ocom®

At your side

OCPP-80Q

ISO FC CE RoHS

ocom®

At your side

OCPP-80Q

ISO FC CE RoHS

Ocom®
At your side

OCPP-80Q

ISO FC CE RoHS

Aocom®
At your side
OCPP-80Q
User's Manual
ISO FC CE RoHS