80MM □□□□□□□□□□□□□□□

□□□□ OCPP-80S)

□□□

□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□□□□□

□□300mm/s□□□□□□□□□□□

48□80mm□□□□□□□□□□□

150□□□□□□□□□□

□□□□□□□□□

□□

□□	
□□	OCPP-80S
□□	80mm □□□□□□□□□□□□

□□	□□
□□□□	USB/ USB+Lan/ USB+BT/ USB+WiFi/ URL+WIFI/ URL+BT □□□□
□□	□□□□□100V-240V□50-60Hz□ □□□□□24V/2.5A
□□	□□24V/1A
□□□□□	150KM
□□	□□□□
□□□	□□□□□□□□□□□□□□□□□□□□□□□□□
□□	□□□□□□□□□□ □□□□ □□□ CD□□□□□ □□□□ □ □□□ □
□□□□□□	□□ iOS/ Android/ Windows/ Linux
□□□□	
□□□□	□□□□
□□□	203 □□□
□□□□	200□□/□□U/UR□ 260mm/s (UL/ UBT/ UWIFI) 300mm/s□URL/URLBT/URLWIFI□
□□□□	72□□
□□□□	□□ □□□□□□□ □□□□□□□□□20K□
□□□□	□□ESC/ POS
□□□□□□	
□□	□□□□□ UPC-A/ UPC-E/ JAN13 (EAN13)/ JAN8 (EAN8)/ CODE39/ ITF/ CODABAR/ □□93/ □□128 □□□□□ □□□ □□USB□UR□□□□□□□□□
□□□□	ANK □□□ □□ A□ 12*24□□1.5□□□*3.0□□□□□ □□B□ 9*17□□1.1□□□* 2.1□□□□□ □□/□□□ 24*24□□3.0□□□*3.0□□□□□
□□/□□	□□
□□□□□□	PC437 / □□□ / PC850 / PC860/ PC863/ PC865/ □□/ □□□/ □□□□/ □□/□□/ WPC1252/ PC866/ PC852/ PC858/ □□II/□□□□□/□□□□/ PT151, 1251/ PC737/ □□/ 1257/ □□□□/ PC864/ PC1001/ □□□□□□□/ □PC1001□/ □PT151□1251□/□WPC1257□/ (PC864) / (□□) / (□□)
□□	
□□□□	□□□□
□□□□	48□□/ 52□□/ 56□□/ 64□□/ 68□□/ 76□□/ 80□□□□□□
□□□□	0.06~0.08mm
□□□□	□□80□□
□□□□	□□
□□	
□□	180*142*136□□
□□	1.65□□
□□□	228*215*165□□
□□	
□□□□□□□	0□45□□□□ 10% ~ 80% □□□
□□□□□□□	-20□60□□□□ 10% ~ 90% □□□

80MM Thermal Printer with Auto Cutter

OCPP-80S

Windows	LINUX
Android	IOS

Direct Thermal Printing

Without the printing ink and ribbon etc traditional consumables,
Low material cost. 48 or 80mm adjustable paper separator for option

Thermal Receipt Paper
Paper Width: 80mm
Roll Dia: Max. Ø 80mm

Easy Paper Loading

One button operation, abandon the traditional paper loading structure, and directly put the paper in, easy to operate



Supports multi 1D barcode and QR code printing

Support printer status monitoring function. Compatible with black mark paper and normal thermal paper, and has paper out, cover open, cutter jam, paper jam and black mark detection sensor.

Desktop + Wall Mounted

Support printer status monitoring and printing queuing ticket function

Multiple interfaces

Supports USB, Bluetooth, Wifi and Local area network port optional



Toothwave fortearing paper
Power indicator
Error indicator
Paper indicator
Paper feed button
Open cover button

USB port
COM port
LAN port
RJ11 port
Power button
AC port

Packaging accessories

SMART PRINTING

Beautiful packaging, original accessories

01 Machine 02 Thermal Paper 03 Paper Roller

04 Power Cord 05 USB Cable 06 User Manaul

07 CD 08 Power Adaptor 09 RS232 Cable

OEM/ODM

FAMOUS PARTNER BRANDS

Click here



Customized Your LOGO



Customized Your Packaging

Support Customer's Idea To Do The Design



APPLICATION

15+ YEARS
OEM/ODM EXPERIENCES

4000+
CUSTOMERS OVER 165 COUNTRIES

15,000,000+
UNITS OF ACCUMULATED SALES

CERTIFICATES
BY ISO/CE/FCC/ROHS/BIS...

CERTIFICATE

□□□□□

80 □□□□□□□□□ CD_FILES