

OCPP -80S 80mm

OCPP -88S

1D

200mm / s

256KB NV 2M

200mm / s

79.5±0.5mm

Φ80mm

0.06-0.08mm

576/512/

3.75

ESC / POS

USB +

100

100

2048K

NV Flash 256K

AC110V / 240V 50/60Hz

DC 24V / 2.5A

DC 24V / 1A

0~45 10~80

0-45 10-80

-10~60°C; 10~90

ANK FontA 1.5 * 3.0mm / FontB 1.1 * 2.1mm

UPC-A / UPC-E / JAN EAN13 / JAN8 EAN8 / CODE39 / ITF

/ CODE93 / CODE128

PC347 PC850 PC860 PC863 - PC865

WPC1252 PC866 2 PC852 2

PC858 IranII PT151 1251

1.25Kg





OCPP-80S





OCPP-80S



□□□

□□□□

OCOM Technologies Limited

□□□□□□□□□□□□□□□□10□4□□□□518054

□□□www□ ocom inc.com□www□ pos solution.com.cn;

□□□□sales14@ocominc.com;

Skype□sales14@ocominc.com

MSN□ocomsales14@hotmail.com;

Whatsapp□86.18948789890;

□□□18948789890□ocom□□14□;

□□□86.18948789890;

QQ□1467261417;

□□□0086.755.86053207-814;

0086.755.86053207-868