带自动切刀的 80MM 热敏打印机

（型号： OCPP-80T）

特征：

1. 支持8种丰富的接口组合

2. 支持多一维条码和 二维码 代码打印。

3. 支持打印机状态监控功能

4. 100M网口，超高速数据传输。

5. 256kb NV Logo 存储和 256kb 大缓冲存储器。

6. 兼容POS /JPOS司机。

7. 100KM长寿命打印头

技术参数：

打印方式 直接热敏
命令 退出/POS
解析度 576点/线或5 1 2点/线
打印宽度 最大值=72mm
纸张类型 热敏收据纸
界面 ü某人/ üL /ü BT / 优WIFI
打印速度 200毫米/秒 （ü）
2 6 0毫米/秒 (UL)
纸张宽度 80mm
纸张厚度 0.06~0.08mm
辊径 最大限度。 Ø 83 毫米
剪纸 手动撕纸和自动切纸
输入缓冲区 256kbyte小号
夜视闪光灯 256kbytes
字体大小 字体A：12*24（标准），字体B：9*17
中国人 GB18030,BIG5 24x24点阵
日本/韩国 支持
用户自定义语言 PC347(标准欧洲),片假名,PC850(多语言),PC860(葡萄牙语),PC863(加拿大-法语),PC865(北欧),西欧,希腊语,希伯来语,东欧,伊朗,WPC1252,PC866(Cyrillic#2)
,PC852(拉丁文2),
PC858,IranII,Latvian,Arabic,PT151(1251)等。
一维 UPC-A/UPC-E/JAN13（EAN13）/1月8日（EAN8）/CODE39/ITF/CODABAR/CODE93/CODE128
二维 二维码 (S单个 USB 或 UR 解决方案不二维码功能）
打印头生活 100公里
刀具生活 百万
分纸器 选项阿尔
传感器 缺纸、开盖、切刀卡纸、卡纸和黑标检测（可选）
输入 交流电 100V-240V 50/60HZ
输出 直流 24V/2.5A
工作条件 0℃~45℃，10%~80%RH
储存情况 -10°C-60°C,10%~90%RH
配件 数据线、电源适配器、电源线、纸辊、光盘、说明书、（标配）
分纸器（可选）
方面 1 80 (D)x14 2 (宽)x13 6（唔
净重 1.14公斤
总重量 1. 8公斤
司机 Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS
开发工具包 安卓、IOS

It's More Than A Printer

POWER
FEED

Selftest
It's More Than A Printer

For more information,pls press feed button

Thermal Printer
Together we quest for the best

2022年度目标
Thermal Printer
Together we quest for the best
ocpm
Thermal Receipt Printer
Model: OCPP-80T
Interface:USB&LAN
Power Input:24V/2.5A
Cash Drawer:24V/1A
Cutter:YES
Paper Width:80mm
Print Speed:260mm/sec
OCPP80T2023400007
Made in China