□□□□□□□□□□□80mm□□□□□□□□

□□□□OCPP-80T)

□□□

□□8□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

100M□□□□□□□□□□□□

256KB NV Logo□□□256kb□□□□

□□OPOS/JPOS □□;

100KM □□□□□□□

□□□□□

□□□□□	□□□□
□□	ESC/POS

□□□	576□/□□512□/□
□□□□□	□□□=72mm
□□□□□	□□□□□
□□	USB/UL/UBT/ UWIFI
□□□□	200 □□/□□U□ 260 □□/□□UL□
□□□□	80mm
□□□□□	0.06~0.08mm
□□	□□□□□ Ø 83 □□
□□	□□□□□□□□□□
□□□□□□	256kbytes
□□	256kbytes
□□□□	□□A□12*24□□□□□□□B□9*17
□□	GB18030,BIG5 24x24□□
□/□□□	□□
□□□□□□□□	PC347(□□□□),□□□,PC850(□□□),PC860(□□□□),PC863(□□□-□□),PC865(□□),□□,□□□,□□□□,□□,□□,WPC1252,PC866(Cyrillic#2) ,PC852(□□□2), PC858,IranII,Latvian,Arabic,PT151(1251)□□
□□	UPC-A/UPC-E/JAN13□EAN13□/JAN8□EAN8□/CODE39/ITF/CODABAR/CODE93/CODE128
□□	QR□

□□□□□□	100□□
□□□□□	□□
□□□	□□□
□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□	□□□ 100V-240V 50/60HZ
□□	□□ 24V/2.5A
□□□□□	0℃~45℃□10%~80%RH
□□□□□	-10°C-60°C,10%~90%RH
□□	□□□□□□□□□□□□□□□□□□□□

80MM Thermal Printer with Auto Cutter

OCPP-80T

Windows	LINUX
Android	IOS



Direct Thermal Printing

Without the printing ink and ribbon etc traditional consumables,
Low material cost

Thermal Receipt Paper
Paper Width: 80mm
Roll Dia: Max. Ø 83mm

Easy Paper Loading

One button operation, abandon the traditional paper loading structure, and directly put the paper in, easy to operate



Packaging accessories

SMART PRINTING

Beautiful packaging, original accessories

01 Machine 02 Thermal Paper 03 Paper Roller

04 Power Cable 05 USB Cable 06 User Manaul

OEM/ODM

FAMOUS PARTNER BRANDS

Click here

Customized Your LOGO

Customized Your Packaging

Support Customer's Idea To Do The Design



APPLICATION

Relevant documents:

80□□□□□□□□□ CD_FILES