OCPP-80T LAN WIFI □□□□□□□□□□□□80□□POS□□□□□□□

□□□□ OCPP-80T□

□□□

□□□□□□□□
□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□
100M□□□□□□□□□□□□□
256KB NV Logo□□□256kb□□□□
□□□POS/JPOS □□□
100KM□□□□□□□

□□□□□

□□□□	□□
□□	ESC/POS
□□□	576□/□□5 1 2□/□
□□□□	□□□=72mm
□□□□	□□□□□
□□	USB / U+□ /U+□□ / U+WIFI
□□□□	200 □□/□ □U□ 2 6 0 □□/□ (UL)
□□□□	80mm
□□□□	0.06~0.08mm
□□□□	□□□□□ Ø 83 □□
□□	□□□□□□□□□
□□□□	256kbytes
Flash	256kbytes
□□□□	□□A□12*24□□□□□□□B□9*17
□□	GB18030,BIG5 24x24□□
□□/□□	□□
□□□□□□□□	PC347(□□□□),□□□,PC850(□□□),PC860(□□□□),PC863(□□□-□□),PC865(□□),□□,□□□,□□□□,□□,□□,WPC1252,PC866(Cyrillic#2) ,PC852(□□□2), PC858,IranII,Latvian,Arabic,PT151(1251)□□
□□	UPC-A/UPC-E/JAN13 □ EAN13 □ /1□8□ □ EAN8 □ /CODE39/ITF/CODABAR/CODE93/CODE128
□□	□□□ **(** □**USB**□□□□ **U+**□□ □□□□□□□□□□□□□□
□□□□□	100□□
□□□□	1□□□
□□□	□□
□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□	□□□ 100V-240V 50/60HZ
□□	□□ 24V/2.5A
□□□□	0℃~45℃□10%~80%RH
□□□□	-10°C-60°C,10%~90%RH
□□	□□□□□□□□□□□□□□□□□□□□CD□□□□□□□□□□ □□□□□□□□
□□	180(D)x142(W)x136(H)mm
□□	1.14□□
□□□	1. 8 □□
□□	Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS
□□□□□	□□□IOS

OEM/ODM

FAMOUS PARTNER BRANDS

Click here

Customized Your LOGO

Customized Your Packaging

Support Customer's Idea To Do The Design





80MM Thermal Printer with Auto Cutter

OCPP-80T

Windows	LINUX
Android	IOS

Direct Thermal Printing

Without the printing ink and ribbon etc traditional consumables,
Low material cost

Thermal Receipt Paper
Paper Width: 80mm
Roll Dia: Max. Ø 83mm

Packaging accessories

SMART PRINTING

Beautiful packaging, original accessories

01 Machine 02 Thermal Paper 03 Paper Roller

04 Power Cable 05 USB Cable 06 User Manaul

Easy Paper Loading

One button operation, abandon the traditional paper loading structure, and directly put the paper in, easy to operate

APPLICATION