

OCPP-80T 80MM

OCPP-80T

Features

1. 80mm i
2. ECS/POS
3. 576/5 1 2
4. 100M
5. 256kb NV Logo 256kb
6. POS /JPOS
7. 100KM

Specifications

Model	OCPP-80T
Application	ECS/POS
Resolution	576/5 1 2
Print Width	72mm
Print Speed	200 / / üL /ü BT / WIFI
Print Length	2 6 0 (UL)
Print Thickness	80mm
Print Accuracy	0.06~0.08mm
Print Diameter	Ø 83
Print Memory	256kbytes
Print Capacity	256kbytes
Print Format	A12*24 B9*17
Print Code	GB18030, BIG5 24x24
Print Language	PC347, PC850, PC860, PC863, PC865, WPC1252, PC866 (Cyrillic#2), PC852, PC858, IranII, Latvian, Arabic, PT151(1251)
Print Code	UPC-A/UPC-E/JAN13 EAN13 /18 EAN8 /CODE39/ITF/CODABAR/CODE93/CODE128
Print Interface	(S USB UR
Print Price	1000
Print Weight	
Print Power	100V-240V 50/60HZ
Print Current	24V/2.5A
Print Temperature	0°C~45°C 10%~80%RH
Print Humidity	-10°C-60°C, 10%~90%RH
Print Material	CD
Print Size	1 80 (D)x14 2 ()x13 6
Print Thickness	1.14
Print Weight	1. 8
Print OS	Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS
Print OS	IOS











Selftest

Firmware version : 1.3206a
Print Speed : 280mm/s
Command mode : EPSON (ESC/POS)
Firmware mode : 2000/02/12
Cutter enable : No
Feeder enable : No
Black mark mode : 5 (Max=9)
Density Level :
Character set : Line : FDK1
Default ASCII font : Page0
Default code page : Yes
Image W/ load : Yes
Stackmark SEAS L : 8, 12
Align Load : 000
Align Load : 000









Thermal Printer



Together we quest for the best



Thermal Printer



ocom Thermal Receipt Printer
Model: DCFP-801 Cutter: YES
Interface: USB/LAN Paper Width: 80mm
Power Input: 24V/2.5A Print Speed: 360mm/sec
Cash Drawer: 84011A
OCPP9072232400007
CE FCC Made in China

Together we quest for the best

