

□□□

□□8□□□□□□□□
 □□□□□□□□□□□□□□
 □□□□□□□□□□□
 100M□□□□□□□□□□□□□□
 256KB NV Logo □□□ 256kb □□□□□□□□
 □□OPOS/JPOS□□□□
 100KM□□□□□□□□

□□□□□

| | |
|----------|--|
| □□□□ | □□□□ |
| □□ | ESC□/POS |
| □□□□ | 576 □/□□ 5 1 2□/□ |
| □□□□ | □□=72mm |
| □□□□ | □□□□□ |
| □□ | U SB / UL /U +BT / U+WIFI |
| □□□□ | 200 □□/□□U □ 2 60□□ /□ (UL) |
| □□□□ | 80mm |
| □□□□ | 0.06~0.08mm |
| □□ | □□□□□□□∅ 83 □□ |
| □□ | □□□□□□□□□□ |
| □□□□□□ | 256kbytes |
| NV□□ | 256kbytes |
| □□□□ | □□A□12*24□□□□□□□□B□9*17 |
| □□ | GB18030,BIG5 24x24dots |
| □□/□□ | □□ |
| □□□□□□□□ | PC347(□□□□),□□□,PC850(□□□□),PC860(□□□□□),PC863(□□□□-□□),PC865(□□),□□,□□□□,□□□□,□□,□□,□□, WPC1252,PC866(□□□□□□#2) □□□□□□(Latin2), PC858,IranII,□□□□□□□□,□□□□□□,PT151(1251) □□ |
| □□ | UPC-A/UPC-E/JAN13 □ EAN13 □ /JAN8 □ EAN8 □ /CODE39/ITF/CODABAR/CODE93/CODE128 |
| □□ | □□□□□□ USB□UR □□□□□□□□□□ |
| □□□□□□ | 100 □□ |
| □□□□ | □□ |
| □□□□ | □□_ |
| □□□□ | □□□□□□□□□□□□□□□□□□□□□□□□□□ |
| □□ | □□ 100V-240V 50/60HZ |
| □□ | □□ 24V/2.5A |
| □□□□ | 0°C~45°C, 10%~80%RH |
| □□□□ | -10°C-60°C, 10%~90%RH |
| □□ | □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□ |
| □□ | 1 80 (D)x14 2 (W)x13 6 (H)mm |
| □□ | 1.14 □□ |
| □□□□ | 1. 8□□ |
| □□ | Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS |
| SDK | □□□□□□□ □□□□□□□□ |













