

OCPP-80X 80mm 热敏式打印机

OCPP -80X

规格

打印速度/分辨率;
 100M 打印速度;
 256KB NV Logo 2M 打印速度;
 打印速度;
 USB + RS232 + LAN 接口;
 250mm/秒

规格

打印速度	100mm/s
分辨率	250dpi
打印头	79.5±0.5mm
打印直径	Φ80mm
打印厚度	0.06-0.08mm
打印速度	576/ 512/
打印头	3.75mm
打印头	ESC / POS
打印头	+ USB +
打印头	100
打印头	100
打印头	2048Kbytes
NV 容量	256K
打印头	AC110V / 240V 50/60HZ
打印头	DC 24V / 2.5A
打印头	DC 24V / 1A
打印头	0~45 10~80
打印头	0~45 10~80
打印头	-10~60°C; 10~90
打印头	ANK FontA 1.5 * 3.0mm / FontB 1.1 * 2.1mm
打印头	UPC-A / UPC-E / JAN EAN13 / JAN8 EAN8 / CODE39 / ITF / CODE93 / CODE128 / QRCode / PDF417
打印头	PC347 PC850 PC860 PC863 - PC865 WPC1252 PC866 2 PC852 2 PC858 Iran II PT151 1251
打印头	1.45Kg; 190×145×143mm * * *



OCPP-80X





OCP-80X





OCPP-80X





OCP-80X





OCPP-80X





OCP-80X





OCP-80X





OCP-80X





OCP-80X

