

**80MM**  
OCPP-80

**1.**

- 1.
- 2.
3. 160mm / s
4. 256KB NV 2M

**2.**

	160
	79.5±0.5
	Φ80mm
	0.06-0.08mm
	576 / line 512
	3.75
	ESC / POS
	USB
C	100
P	100
	2048Kbytes
NV Flash	256K
	AC110V / 240V 50 60HZ
	DC 24V / 2.5A
	DC 24V / 1A
	0-45 10-80N-
	0-45 10-80N-
	-10 60°C; Humidity 10 90
	ANK FontA 1.5 * 3.0mm / FontB 1.1 * 2.1
	UPC-A / UPC-E / JAEAN13 / JAN8 EAN8 / CODE39 / ITF / CODE93 / CODE128
	PC347 PC850 PC860 PC863 PC865 WPC1252 PC866 2 PC852 2 PC858 Iran PT151 1251
	1.25

**3.**



# OCPP-80Y



[www.ocominc.com](http://www.ocominc.com)





# OCPP-80Y



[www.ocominc.com](http://www.ocominc.com)





# OCPP-80Y



[www.ocominc.com](http://www.ocominc.com)





# OCPP-80Y



[www.ocominc.com](http://www.ocominc.com)





#### 4.FAQ

1.MOQ

2.&

t / t union  
aliexpress <http://www.aliexpress.com/store/403448> tracelog = minisite\_CI

3.

OCOM

500 100

12 + 1 24

30 DOA DOA

4

T / T LC T Escrow Moneybookers Visa MasterCard Maestro Solo Carte Bleue PostePay CartaSi 4B Euro6000

5.

OCOM Technologies Ltd. TUV POS Auto-ID OCOM 500 1

OCOM POS POS POS POS CE FCC OCOM OEM / ODM

6.

Harold Hu

OCOM

104

518054 China;

www.ocominc.com www.possolution.com.cn;

sales14@ocominc.com;

Skype sales14@ocominc.com

MSN ocomsales14@hotmail.com;

Whatsapp 0086.18948789890;

0086.18948789890;

0086.18948789890;

QQ 1467261417;

0086.755.86053207-814;

0086.755.86053207-868;