

OCPP -88A POS 80mm

OCPP -88A



OCPP

1. 80mm
2. 300mm /
- 3.
- 4.
5. USB + LAN; Wifi + USB
- 6.
7. 1D QR
- 8.
9. Android IOS SDK
10. 100km
11. EPSON ESC / POS

OCPP

OCPP	OCPP
OCPP	576 / 512 / 24x24 18030 ANK

尺寸	A 12 * 24 1.5 W * 3.0 H mm; B 9 * 17 1.1 W * 2.1 H mm C / D 24 * 24 3.0 * 3.0 mm	
条码格式	JUPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 / CODABAR / ITF / CODE39 / CODE93 / CODE128 QR	
打印速度	250 / 300 /	
接口	USB + USB + Wifi + USB + USB	
打印语言	EPSON ESC / POS	
操作系统	Win9X / Window XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Linux ESPON Android IOS SDK	
厚度	79.5 ± 0.5 mm 72 mm	
重量	83	
打印精度	0.06-0.08 mm	
打印速度		
打印长度	100	
打印电压	DC24V / 2.5A	
打印温度	0-45°C	
打印速度	10-80	
打印尺寸	190 * 145 * 145	
打印重量	1.60	
打印选项	P / N	
	OCPP -88A-U	USB
	OCPP -88A-URL	USB + Serial + Lan
	OCPP -88A-W	Wifi + USB
	OCPP -88A-BU	+ USB
	OCPP -88A-U0	USB
	OCPP -88A-URL0	USB + Serial + Lan
	OCPP -88A-W0	Wifi + USB
	OCPP -88A-BU0	+ USB

□□□□□

