OCPP-88A-UR[]|**80mm**[]||**0**||**0**||**USB** +[]||**0**||

___OCPP-88A_

- 1.000000000;
- 2. [[] [] [] [] 300mm /[];
- 3.00000;
- 4.000000000
- 5. ||| USB || USB || USB || USB || USB || USB || USB
- 7.00000000000;
- 8.0000000;
- 9. \[\] \[\] Android \[\] IOS \[\] SDK;
- 10.

576_/512_/_;
000000024x24000018030000000000000000000000000000000
A[]12 * 24[][]1.5[]W[]* 3.0[]H[]mm;
B[]9×17[][]1.1[]W[]×2.1[]H[]mm
JUPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□/ CODABAR / ITF / CODE39 / CODE93 / CODE128□QR□
USB_USB ++ USB+ USB+ USB
□EPSON ESC / POS□□□□
Win9X / Windows XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 /
Linux[][]ESPON[]SDK for Android[]IOS[]
79.5±0.5mm[][][]72mm[]
83
0.06-0.08mm
100□□
DC24V / 2.5A
0-45
10-80□
190 * 145 * 145

1.60□□	
P / N	
OCPP-88A-U	USB
OCPP-88A-URL	USB +00+0000000
OCPP-88A-W	Wifi + USB
OCPP-88A-BU	+ USB
OCPP-88A-U0	USB0000000
OCPP-88A-URL0	USB +00+00000000
OCPP-88A-W0	Wifi + USB00000000
OCPP-88A-BU0	00+ USB00000
	P / N OCPP-88A-U OCPP-88A-URL OCPP-88A-W OCPP-88A-BU OCPP-88A-U0 OCPP-88A-URL0 OCPP-88A-W0

×

×

1.

2.

3.

4.00000&00

5.

00000000000000000000000000000000000000
□http://www.possolution.com.cn/inquiry.html□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
OCOM500POS_Auto-ID
OCOMOCOMPOSPOSPOSPOS
$\begin{array}{llllllllllllllllllllllllllllllllllll$
□□□□Harold Hu
OCOMDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD