

# 58MM 热敏式 收据

## 热敏式 OCPP - C581

### 规格

- 90mm / s
- 
- USB
- USB + LAN □ USB + □ USB + WIFI □ □ □
- 
- nv logo
- 
- ESPON
- 50KM
- 60

### 规格

|                 |  |
|-----------------|--|
| 分辨率             | 384dots / 英寸 203DPI  |
| 打印速度            | 384点/英寸 ANK 12 * 24 1.5W * 3.0H mm<br>24 * 24 3.0W * 3.0mm               |
| 打印语言            | JAN13 EAN13 JAN8 EAN8 CODE39   |
| 打印语言            | EPSON ESC / POS  |
| 打印速度            | 90 / 分钟  |
| 打印精度            | 57.5 ± 0.5   |
| 打印精度            | 0.06-0.08mm  |
| 打印精度            | 50   |
| 打印精度            | 600,000  |
| <b>NV Flash</b> | 64KB   |
| 打印精度            | 32KB   |
| 尺寸              | 169.3 * 122 * 113  |
| 重量              | 1.2KG  |
| 重量              |  |
| 重量              |  |
| 重量              | Φ60  |
| 重量              | USB □ □ USB + LAN □ USB + □ USB + wifi<br>MOQ = 120                      |
| 重量              | Win9X □ Win2000 □ Win2003 □ WinXP □ WinVista □ Win7 winWin win10 □ ESPON |
| 重量              | AC 110V / 220V □ 50-60HZ   |
| 重量              | DC12V / 2.6  |
| 重量              | DC12V / 1A   |
| 重量              | 0-45 ° C □ □ 10-80   |
| 重量              | -10-60 ° C □ idity □ 10-90   |
| 重量              | CE / FCC / CCC / RoHS  |



OCPP-C581





OCPP-C581





OCPP-C581





OCPP-C581



**⚠ Attention:** Please open this cover to adjust the gear if the cutter is locked.

