

Android 58

OCPP-M03

Specifications

Dimensions	105x75x45mm
Weight	134g
Material	ABS
Resolution	480x800
Display	5.0 inch
OS	Android 5.0
Barcode	1D/2D
Barcode Resolution	ESC / POS
Barcode Speed	90mm/sec
Barcode Resolution	800/203DPI
Barcode Resolution	12x24 / 24x24
Barcode Resolution	32 / 16 columns
Barcode Resolution	1.5x3.0mm x 3.0x3.0mm
Barcode Resolution	58.0±0.1mm x 40.0mm
Barcode Resolution	0.06/0.08mm
Barcode Resolution	USB/RS-232
Barcode Resolution	USB/RS-232
Flash	256KB
Barcode Resolution	9V DC/2A
Barcode Resolution	7.4VDC /1500mAh; 4-5 years
Barcode Resolution	120-150M
Barcode Resolution	10-1000
Barcode Resolution	50-1000
Barcode Resolution	100-900
Barcode Resolution	20-70
Barcode Resolution	5-95
Barcode Resolution	30 ASCII
Barcode Resolution	1234 6
Barcode Resolution	3.5 *1.1



## 58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



### Product Picture





## Features

### **Simple but not easy**

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;  
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.  
100km TPH Life



Low power consumption and large capacity Lithium battery.



## All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



## Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

## Paper Roll Installation





- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C



## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.

