

Android OCPP -M03

OCPP -M03

OS

Windows, JAVA, Android, IOS, Android + IOS OS;

SB RS-232

QR

90

100 TPH

Specifications

Dimensions (L x W x H)	105 x 75 x 45 mm
Weight	134 g
Material	ABS
Display	48 mm
Resolution	800 x 480
Barcode	ESC / POS
Barcode Resolution	90 dpi
Barcode Density	8 dots/mm (203 dpi)
Barcode Size	12 x 24 / 24 x 24 mm
Barcode Height	32 / 16 mm
Barcode Width	1.5 x 3.0 mm (x) / 3.0 x 3.0 mm (y)
Barcode Spacing	58.0 ± 0.1 mm x 40.0 mm
Barcode Gap	0.06 / 0.08 mm
Barcode Orientation	Vertical / Horizontal
Ports	USB, RS-232
Memory	256 KB
Power Input	9V DC / 2A
Power Output	7.4V DC / 1500mA; 4-5 pin interface 120-150 mm
Temperature Range	Operating: -10°C ~ 50°C; Storage: 10°C ~ 90°C
Humidity Range	Operating: -20°C ~ 70°C; Storage: 5% ~ 95%
Barcode Encoding	Standard ASCII
Barcode Length	Maximum 30 characters
Barcode Content	Example: "1234" (6 digits)

□□□□□	3.5 *1.1□□
-------	------------

□□□□□

OCPP -M03-BB	□□+ USB + COM□Win + Java + Android□□□
OCPP -M03-BB-I	□□+ USB + COM□IOS□□□
OCPP -M03-BB-AI	□□+ USB + COM□Win + Java + Android + IOS□□□
OCPP -M03-UB	USB + COM□Win + Java + Android□□□
OCPP -M03-UR	USB + COM□Win + Java + Android□□□□□





OCPP-M03









□□□□□□□□



□□□□□

Escrow Alipay.com Moneybookers Visa MasterCard
Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean ...

133 1300 O2 500 50

OCOM

500 POS Auto-ID

O2 Star

1500 133;

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

“ ”