

Android OCPP -M03

OCPP -M03

OS

Windows, JAVA, Android, IOS, Android + IOS OS;

SB RS-232

QR

90

100 TPH

Specifications

Dimensions (L x W x H)	105 x 75 x 45 mm
Weight	134 g
Material	ABS
Display	48 mm
Processor	ARM Cortex-A
OS	ESC / POS
Resolution	90 dpi
Print Resolution	8 mm / 203 dpi
Print Size	12 x 24 / 24 x 24 mm
Print Speed	32 / 16 mm/s
Print Head	1.5 x 3.0 mm / 3.0 x 3.0 mm
Print Width	58.0 ± 0.1 mm x 40.0 mm
Print Accuracy	0.06 / 0.08 mm
Connectivity	USB / RS-232
Memory	256 KB
Power Input	9V DC / 2A
Power Output	7.4V DC / 1500 mA; 4-5 pin
Temperature Range	-10°C ~ 50°C
Humidity Range	10% ~ 95%
Storage Temperature	-20°C ~ 70°C
Barcode	30 ASCII
Barcode	"1234" 6

□□□□□	3.5 *1.1□□
-------	------------

□□□□□

OCPP -M03-BB	□□+ USB + COM□Win + Java + Android□□□
OCPP -M03-BB-I	□□+ USB + COM□IOS□□□
OCPP -M03-BB-AI	□□+ USB + COM□Win + Java + Android + IOS□□□
OCPP -M03-UB	USB + COM□Win + Java + Android□□□
OCPP -M03-UR	USB + COM□Win + Java + Android□□□□□





OCPP-M03









□□□□□□□□



□□□□□

Escrow Alipay.com Moneybookers Visa MasterCard
Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean ...

133 1300 O2 500 50

OCOM

500 POS Auto-ID

O2 Star

1500 133;

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

“ ”