

OCPP - M05

OCPP - M05



Windows Android iOS Android + ios OS

USB RS232

90 /


100 TPH



105x75x45
134
48
ESC / POS
90
8 / mm 203dpi
12x24 / 24x24
32 / 16
1.5 x 3.0 mm x / 3.0x3.0mm x
58.0±0.1mm x 40.0mm
0.06 0.08
USB RS-232
256KB
9V DC / 2A
7.4V DC / 1500mA; 4-5 120-150
-10°C 50°C 10 90
-20°C 70°C 5 95
30 ASCII
"1234" 6
3.5 *1.1



USB RS-232



**[CHARGE]:** Battery charge indicator

**[ERROR]:** Error indicator

**[FEED]:** FEED button

**[MODE]:** MODE button






OCPP-M05









□□□□



□□□□□□□□



□□

1. DHL UPS EMS TNT
2. 3-7
3. 2-4
- 4.

1. T / T.
  - 2.
  3. PayPal
- 

12  24

**RMA**

RMA  30



/

**DOA**

30  DOA  DOA

OCOM Technologies Limited POS Auto-ID OCOM



1-5



□□□□

\*□□

\*[Windows](#)□□□□

\*□□Printdemo□□□□□□□□

\*[SDK](#) □□ [Android](#)□

\*□□\_□