

□□□□OCPP - M06□



$\verb Windows $
USB RS232 ;
□□□Android□SDK;
1D_2DQR;

000000001500mAh0004~50;

000000000000000000000000000000000000000
90/ _;
100km;
00000;
ESC / POS

	105×75×45□□
	134□
0000	
0000	ESC / POSDDDD
	48□□
	009000/0
	8[]/ mm[]203dpi[]
	12x24 / 24x24
	32 🛮 / 16 🖂
	1.5 x 3.0 mm□□x□□/3.0x3.0mm□□x□□
0000	58.0±0.1mm x□□40.0mm
	0.06□0.08□□
	USB_RS-232
	256KB
	9V DC / 2A
	7.4V DC / 1500mAh;4-5120-150
0000	
	□□□-10~50°C□□□□10□~90□
	□□□-20~70°C□□□□5□~95□
0000	30_ASCII
00	0000000"1234"000000000000006000
	3.5 *1.1 🛮 🔻

OCPP -M06-BB	Android_USB + COM +
OCPP -M06- BB-AI	Android + IOS\u00edUSB + COM +\u00edU\u00edU\u00edU\u00edU\u00edU
ОСРР-М06-В	Android[]USB + COM +[][][][][];
OCPP -M06-U	DDDDDAndroidDUSB + COMDDDDD
OCPP -M06- BB-AA	Android + IOS\u00adUSB + COM +\u00ad















OCPP -M07 58mm

- *____<u>DOWS</u>
- *Linux[[[[[[
- $* \verb| | \verb| | \verb| | Android \verb| | SDK$
- *<u>CD</u>