

# Android IOS 2

## OCPP-M06

OCPP -M06 Android IOS + Android Window Linux JAVA 58 pos  
 USB RS232 8  
 CE FCC

OCPP -M06 Android IOS JAVA Windows 2

### Table

Dimensions (mm)	105x75x45	
Weight (g)	134	
Material		
Interface	ESC / POS	
Resolution	48	
Print Speed	90mm / sec	
DPI	8 / 203dpi	
Print Size	12x24 / 24x24	
Print Range	32 / 16	
Print Width	1.5 x 3.0 x / 3.0x3.0 x	
Print Thickness	58.0±0.1mm x 40.0mm	
Print Precision	0.06 / 0.08mm	
Print Language		
Connectivity	USB RS-232	
Memory	256KB	
Power Supply	9V DC / 2A	
Battery	7.4V DC / 1500mAh; 4-5 120-150m	
Barcode		
Barcode Type	10 50 10 90	
Barcode Type	20 70 5 95	
Barcode Type	30 ASCII	
Barcode Type	" 1234" 6	
Barcode Type	3.5 * 1.1	
OCPP -M06 variants	OCPP -M06-BB	Android USB + COM +
	OCPP -M06-BB-AI	Android + IOS USB + COM +
	OCPP -M06-B	Android USB + COM +
	OCPP -M06-U	Android USB + COM
	OCPP -M06-BB-AA	Android + IOS USB + COM + 7 android + 1

### Table



\*

\*

\*

\* Win

\* Linux

\*

\* USB

\*

\*[www.android.com](#)

\*[www.google.com](#)