

OCPP-M06 58mm Thermal Printer

OCPP-M06



Table

Dimensions (W x H x D)	105 x 75 x 45 mm
Weight	134 g
Color	Black
Material	Plastic
Interface	ESC / POS
Resolution	48 dots
Print Speed	90 mm / sec
Resolution	8 dots / 203 dpi
Print Size	12 x 24 / 24 x 24
Print Width	32 / 16 mm
Print Length	1.5 x 3.0 mm / 3.0 x 3.0 mm
Print Thickness	58.0 ± 0.1 mm x 40.0 mm
Print Resolution	0.06 / 0.08 mm
Print Density	1200 / 1200
Connectivity	USB / RS-232
Flash	256 KB
Power	9V DC / 2A
Power Consumption	7.4V DC / 1500mAh; 4-5 hours / 120-150m

□□□□	□□□□□□□□
□□□□	□□□-10□50°C□□□□10□□90□
□□□□	□□□-20□70□□□□□□□□5□□95□
□□□□	□□□□□□□□□□□□□□30□ASCII□□□□
□□	□□□□□□□□□□“ 1234”□□□□□□□□□□□□□□6□□□□□
□□□□□□	3.5 * 1.1□□
□□□□	OCPP -M06-BB Android□USB + COM +□□□□□□
	OCPP -M06-BB-AI Android + IOS□USB + COM +□□□□□□
	OCPP -M06-B Android□USB + COM +□□□□□□□□
	OCPP -M06-U □□□□□□Android□USB + COM□□□□□□
	OCPP -M06-BB-AA Android + IOS□USB + COM +□□□□□□□□7□android +1□□□□□





OCPP-M06





OCPP-M06





OCPP-M06





OCPP-M06





OCPP-M06

OCOM 58MM 便携式热敏打印机 POS 系统 ID 卡系统 500 张/卷 1 英寸宽幅

OCOM 58MM 便携式热敏打印机 DOT 系统 POS 系统 POS 系统 ISO CE FCC BIS

2007 年 6 月 OCOM 通过 ISO9001 2008 年 159 张/卷
2300 张/卷 50 张/卷
O2 Equicom ...

OCOM 58MM 便携式热敏打印机 “OCPP-M06” 系统
OEM / ODM

□□□□□□□□

▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·2600□□□□□□□□163□□□□/□□□□

·□□□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□□□

·□□“□□□□□□□□”

·□□□□“□□□□□□□□□□□□□□□□□□□□□□□□”□□□□□□□□



