

□□□

□□□□□□□□□□

Windows□Java□Linux□Android□□ Android +IOS□□□□□ □□

□□□USB □ RS232 □□ □□

SDK for Android □□

□□□□□□□□□ 8 □□□□□□7 □ Android□□□ Apple device) visa bluetooth

□□□□□□□□□1500mAh□□4~5□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□ 90mm/sec

50km □□□□□□□□

□□□□□□

□□/POS□□□□□□

□□□

□□	OCPP- M06
□□	58mm □□□□□□□□□□□□
□□	□□□
□□	USB □ RS-232 □□□□□□□□
□□	7.4V DC/ 1500mAh□□□□□□□□□
□□□□□	□□ 9v/1.5-2A
□□□□	□□□□4-5□
□□	□□□□□□□□ 20K□□□□□256K
□□□□	□□□□□□□□□□□□□□□□&□□□□□□
□□□□	□□□
TPH □□	50□□
□□	□□□□□□□□“1234”□□□□□□□□□□□□ □□6□
□□	□□□□□□□□□□□□□□□□□□□□□□
□□□□□□	3.5*1.1mm
□□□□□□	Windows & Android & IOS □□
□□□□	CE□FCC□Rohs□
□□□□	□□□□
□□□□	203DPI□8 □/□□□
□□□□	70 □□/□□□□ 90 □□/□□
□□□□	48mm
□□□□	120 □□□□□□□□□□□□
□□□□	□□A□32□ □□/□ □□□□16 □/□
□□□□	□□□□/POS
□□□□□□□	□□□□
□□□□	□□A□12*24□□1.5(W)*3.0(H) □□/□□□24*24□□ 3.0(W)*3.0(H)mm
□□□	□□□□/□□
□□	□□□□
□□□□	□□□□
□□□□	57.5 ± 0.5□□
□□□□	□□□□
□□□□	□□ 40 □□
□□□□	0.06-0.08mm
□□□	□□□□
□□	105*75*45mm

重量	360g / 440g
尺寸	190*120*70 mm
40mm 打印范围	380*475*340mm / 18.36kg
打印速度	
打印范围	0 to 4.5 英寸, 10%~80% 打印
打印温度	-20 至 60 摄氏度, 10%~90% 打印











