

2 OCOM 58

OCPP - M07

□□□

- ñ □□□□□□□□□□;
- ñ □□Windows□Java□Linux□Android□IOS□□□□□;
- ñ □□□□□USB□RS232□□;
- ñ □□□Android□IOS□WIN CE□SDK;
- ñ □□1D□2D□□□□QR□□□□□□□□;
- ñ □□□□□□□□□□□□□□□□;
- ñ 57 * 50□□
- ñ □□□□□□□□□□8□□□□□□□7□Android□□□□Apple□□□□□□□□;
- ñ □□□□□□□□□□1500mAh□□□□4~5□;
- ñ □□ □□□□□□ □□□□□□□□□□□□□□□□;
- ñ □□□□□□□90□□/□;
- ñ 100□□ □□□□□□□□;
- ñ □□□□□□;
- ñ ESC / POS□□□□□□;

□□□

□□□□□□×□×□□	105×75×45□□
□□	134□
□□	□□
□□□□	□□□□
□□□□	ESC / POS□□□□□□
□□□□□□□□	48□□
□□□□	□□90□□/□
□□□	8□/ mm□203dpi□
□□□□	12x24 / 24x24
□□□	32□/ 16□
□□□□	1.5 x 3.0 mm□□x□□/3.0x3.0mm□□x□□
□□□□	58.0±0.1mm x□□40.0mm
□□□□	0.06□0.08□□
□□□	□□□□/□□□□
□□	USB□RS-232□□□□□□□□
□	256KB
□□□□□	9V DC / 2A
□□□□	7.4V DC / 1500mAh;□□□□□□4-5□□□□□□□□□□□□□□□120-150□□□□
□□□□	□□□□□□□□□□
□□□□	□□□-10~50°C□□□□□10□□90□
□□□□	□□□-20~70°C□□□□□5□□95□
□□□□	□□□□□□□□□□□□□□30□ASCII□□□□
□□	□□□□□□□□“1234”□□□□□□□□□□□□□□□□6□□□

OCPP		3.5 *1.1
OCPP	OCPP -M07-BB	Android + USB + COM + AA
	OCPP -M07-BB- AI	Android + IOS + USB + COM + AA
	OCPP -M07-B	Android + USB + COM + AA;
	OCPP -M07-U	Android + USB + COM
	OCPP -M07-BB- AA	Android + IOS + USB + COM + AA 7 android + 1 AA

OCPP

OCPP Miniprinter TAXI pos





OCPP-M07





OCP-07





OCPP-M07





MINI Thermal Printer

Model:OCPD-M07
Paper Width:58mm CE
Power Supply:5V/1.5A



1805030100001 Made in China

Li-ion Battery

Vol:7.4V/1500mAh/11.1Wh
Charge up Voltage: 8.4V
Standard:GB/T 18287-2000
One year warranty
Model:58LYDD-ZJ



S/N:JH2018041213966969

SHENZHEN XINXIONGLI ELECTRICAL Co.,LTD