20058mm

___OCPP - M07



$Windows \verb Java \verb Linux \verb Android \verb IOS \verb \verb \verb ;$
USB_RS232;
□□□Android□iOS□Win CE□SDK;
1D_2DQR;
57 * 50
1500mAh4_5;
90mm /_;
100km;
;

		105×75×45mm
		134G.
		□ESC / POS□□
		48mm
		8[]/ mm[]203dpi[]
		12x24 / 24x24
		32 / 16 columns
		1.5 x 3.0 mm[w x h[]/ 3.0x3.0mm[wxh[]
0000		58.0±0.1mm x□□50.0mm
		0.06[]0.08mm.
		Alphanumeric / Chinese Kanji
		USB[]RS-232[][][][][]
		256KB.
		9V DC / 2A
		7.4V DC / 1500mAh;4-5120-150_
0000		
0000		
		-20 70 Degc 5 95
		0000000"1234"0000000000000060000
		3.5 * 1.1mm.
	OCPP -M07-BB	Android USB + COM + OOO
	OCPP -M07-BB-AI	Android + iOS[]USB + COM +[][][]
	OCPP -M07-B	Android USB + COM
	OCPP-m07-u	
	OCPP -M07-BB-AA	Android + iOS\(USB + COM +\(\)\(\)\(\)\(T \) Android +1 Apple\(\)\(\)\(\)\(T \)





OCPP-M07







OCPP-M07















