

OCPP-M08 58

OCPP-M08

OCPP

OCPP
Windows Java Linux iOS
USB RS232;
Android iOS WIN CE SDK;
QR
57 * 50
8 Android
1500 450
90mm /
100
ESC / POS

OCPP

| | |
|------|---|
| OCPP | 150 |
| OCPP | OCPP |
| OCPP | OCPP |
| OCPP | ESC / POS |
| OCPP | 48 |
| OCPP | 90mm / |
| OCPP | 8 / 203dpi |
| OCPP | 12x24 / 24x24 |
| OCPP | 32 / 16 |
| OCPP | 1.5 x 3.0 x / 3.0x3.0 x |
| OCPP | 58.0±0.1mm x 50.0mm |
| OCPP | 0.06 0.08mm |
| OCPP | OCPP / OCPP |
| OCPP | USB RS-232 |
| OCPP | 256KB |
| OCPP | 9V DC / 2A |
| OCPP | 7.4V DC / 1500mAh; 4-5 120-150m |
| OCPP | OCPP |
| OCPP | 10 50 10 90 |
| OCPP | 20 70 5 95 |
| OCPP | 30 ASCII |
| OCPP | " 1234 " 6 |
| OCPP | 3.5 * 1.1 |
| OCPP | OCPP -M08-BB Android USB + COM + |
| OCPP | OCPP -M08-BB-AI Android + IOS USB + COM + |
| OCPP | OCPP -M08-B Android USB + COM + |
| OCPP | OCPP -M08-U Android USB + COM |
| OCPP | OCPP -M08-BB-AA Android + IOS USB + COM + 7 android + 1 |

▶ Company



▶ Certificates



▶ Payment



▶ Contact us

