

# 80MM / wifi

OCPP - M083



Windows Java Android IOS

USB + RS232 + USB + RS232 + WIFI;

USB DC;

OLED;

2D 1D

7 Android + 1 ios

SDK for Android Win CE IOS

2000mAh

90

MCBF 100km



型番	OCP -M083
容量	256MB
色数	フルカラー
解像度	720x480
インターフェース	ESC / POS
紙サイズ	90mm x 90mm
ドットピッチ	8dot/mm 203dpi
紙幅	12x24 / 24x24
ドット数	320 x 160
紙厚	1.5 x 3.0 mm / 3.0x3.0mm
紙重	80.0±0.1mm x 30.0mm
厚さ	0.06~0.08mm
接続	USB / RS-232C / Wifi
電源	5V DC
消費電力	9V DC / 2A
動作温度	7.4V DC / 2000mA; 4-5%湿度 120-150mmHg
動作湿度	湿度 40-90%
保存温度	10°C ~ 50°C 湿度 10% ~ 90%
保存湿度	10°C ~ 70°C 湿度 5% ~ 95%
文字種	30 ASCII
文字数	“1234” 6文字
寸法	3.5 * 1.1mm



# OCPP-M083







# OCPP-M083





# OCPP-M083



# ▶ Application scenario

Logistics



Warehouse management



Supermarket



Clothing label



Jewelry label



Restaurant



OCPP -80Y 80mm□□□□□□□□□□□□□□□□