

OCPP 58  
OCPP - M09

OCPP-M09 Android iOS + Android Window Linux JAVA 58 pos  
USB  
CE FCC

Feature

- 
- Windows Java Linux Android Android + IOS
- USB
- Android SDK
- 1D 2D QR
- 
- 8 Android Apple
- 1500mAh 4~5
- 
- 70
- 100
- 
- ESC / POS

Specification

Dimensions (W x H x D)	105 x 75 x 45 mm
Weight	134 g
Material	ABS
Color	Black
Interface	ESC / POS
Barcode	48
Resolution	70 dpi
Print Speed	8 mm / mm 203 dpi
Print Format	12x24 / 24x24
Print Size	32 / 16
Print Resolution	1.5 x 3.0 mm x 3.0 mm
Print Accuracy	58.0 ± 0.1 mm x 40.0 mm
Print Interval	0.06 ~ 0.08
Print Method	Thermal
Interface	USB
Memory	256KB
Power Supply	5V DC / 2A

電圧	7.4V DC / 1500mAh; 充電回数4-5回連続印刷可能(紙120-150枚)
重量	約100g
動作温度	約-10~50°C(湿度10%~90%)
印刷速度	約30枚/分(ASCII)
印刷文字	約1234(約6mm)
サイズ	3.5 * 1.1寸





OCPP-M09





OCP-PP-M09





OCP-PP-M09



