

OCPP-M12 58

OCPP - M12

□□□

□□□□□□□□□□;

□□Windows□Java□Linux□Android□IOS□□□□;

□□□Android□IOS□SDK;

57 * 40□□;

□□□□□□□□□□□□8□□□□□ □7□Android□□□Apple□□□;

7.4V□1500mA□□;

□□□□□□90□□/□;

50km□□□□□□□□;

□□□□□□;

ESC / POS□□□□□□

□□□

□□□□	□□□□
□□□□	ESC / POS□□□□□□
□□□□□□□□	48□□
□□□□	□□90□□/□
□□□□	8□/ mm□203dpi□
□□□□	12x24 / 24x24
□□□□	32□/ 16□
□□□□	1.5 x 3.0 mm□□x□□/3.0x3.0mm□□x□□
□□□□	58.0±0.1mm x□□40.0mm
□□□□	0.06□0.08□□
□□□□	□□□□/□□□□□
□□	USB□□□□

RAM	256KB
Power Input	9V DC / 2A
Power Output	7.4V DC
Operating Temp	0°C~10~50°C Storage 10°C~90°C
Storage Temp	0°C~20~70°C Humidity 5%~95%
Barcode	1D Barcode, 2D Barcode, 30 ASCII
Print	Print "1234" characters





OCP-PP-M12





OCPP-M12





□□□□

[OCPM-M12](#) □□