

# (OCPP-M15) 12345678901234567890

M / N OCPP-M15

## 000

Windows iOS  
Android / IOS SDK  
PDF417  
2000mAh 18650  
USB  
70mm / sec  
50Km  
ESC / POS

## 000

00	OCPP-M15
00	58mm
00	
00	USB / 4.0
00	7.4V DC / 20 00mAh
00000	5v / 2A
0000	4
00	50K 256K
TPH	50
00	"1234" 6
0000	LED; USB
00	CD
000000	3.5 * 1.1mm
000000	Windows & Android & IOS
0000	CE FCC Rohs
0000	
0000	203DPI 8
0000	7 0mm/ 90mm
0000	48mm
0000	120
00000	A 32 / 16 /
0000	/POS
00000	
0000	A 12 * 24dots, 1.5 (W) * 3.0 (H) / 24 * 24dots, 3.0 (W) * 3.0 (H) mm
000	/
00	

□□□□	□□□□
□□□□	57.5 ±0□5□□
□□□□	□□□□
□□□□	□□ 40 □□
□□□□	0.06-0.08mm
□□	
□□	112*83*54mm
□□	□□□230g □□□450g
□□□	180 * 122 * 65 □□
40 □ 1 □	372 * 372 * 500mm / 19.4kg
□□	
□□□□□□□	0 to 45 °C , 10% ~ 80% □□□
□□□□□□□	-20 □ 60□□□□ 10% □ 90% □□□

□□□□□□













