

OCPP -M83 Android IOS

OCBP-M83



□□□

n□□□□□□□□□□□□

n□□□□□□□□□□Android□□□

n□□bartender□□

n□□□□□□□□

n□□□□□□□□□□□□□□□□

n 50mm□□□□□□

n□□□□□□□□

n□□□□□□/□□□□□□□□□□

n□Android□IOS□□

n 2600mAh□7.4V 14.8Wh□□□□□□

n□□□□□□5□□□□□□□□□□7□

n 90mm / sec□□□□□□

n□□ESC / POS□JPL□TSPL□CPCL□4□□□□

n 360□□□□□□□□□□

n IP54□□□□□□□□□□□□□□

□□□

□□□□	□□□□
□□□□	□□ESC / POS□TSPL□JPL□□
□□□□□□	□□ 72mm□576□
□□□□	□□90mm / sec
□□□	8□/□□□203dpi□
□□□□	79.5□±0.5mm x□□50.0mm
□□□□	0.06□0.12mm
□□□	□□□□/□□
□□	USB□□□□
FLASH	256KB
□□□□□□	9V DC / 1A
□□□□	4-5□□
□□□□	2600mAh□7.4V 14.8□□
□□□□	□□5□□□□□□□7□
□□□□□□	50□□
□□□□	□□□□□□□□□□
□□□□	□□□-10□50°C□□□□□10□□90□
□□□□	□□□-20□70□□□□□□□□5□□95□
□□□□	□□□□□□□□□□□□□□30□ASCII□□□□
□□	□□□□□□□□□□“ 1234”□□□□□□□□□□□□□□6□□□□□
□□	□□□□0.56kg /□□□□□□0.7kg /□
□□□□	13.5 * 13.5 * 11□□



OCBP-M83





OCBP-M83





OCBP-M83





OCBP-M83





OCBP-M83



▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

· POS □□□□□□□□□□□□□□□□□□

· □□□□□□ 500 □□□□□□□□

· 1 □□□□□□□□□□ O2 □Star ...

· □□ 163 □□□□ / □□□□ 2600 □□□□□□

· □□□□□□□□□□ 24 □□□□□□□□

· □□ 12 □OEM / ODM □□□□□□□□□□

· □□□□□□□□□□□□□□□□

· □□ ISO 9001 □FCC □CE □Rohs □Soncap □SASO □POA □BIS □□□□□□□□□□

· □□□□□□□□□□□□□□□□□□□□

· □□□□□□□□ 12 + 1 □□□□□□□□□□□□

· □□“□□□□□□”

· □□□□“□□□□□□□□□□□□□□□□”□□□□□□



