

OEM 80 Windows CE POS

OCPP -88A

□□□

1. □□□□□□□□□□
2. □□□□□□□□300mm /□□
3. □□□□□□□□□□
4. □□□□□□□□□□□□
5. □□□□□□□□□□USB□USB + Serial + LAN;□Wifi + USB□Bluetooth + USB
6. □□□□□□□□□□□□□□
7. □□□□□□□□□□□□□□;
8. □□□□□□□□□□
9. □□□□□□Android□IOS□SDK□
10. □□□□□□□□□□□□100km□□□
11. □□EPSON ESC / POS□□□□□□

□□□

□□□□	□□□□
□□□□	576□/□□□□□□□□512□/□□ □□□□□□□□24x24□□□□□□18030□□□□□□□□□□□□□□□□□ ANK□□□□
□□	A□12 * 24□□1.5□W□* 3.0□H□mm; B□9 * 17□□1.1□W□* 2.1□H□mm □□/□□□□24 * 24□□3.0□W□* 3.0□H□mm
□□□□□	JUPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□/ CODABAR / ITF / CODE39 / CODE93 / CODE128□QR□
□□□□	□□250mm /□□□□□□□□300mm / sec for □□□□
□□	USB□USB +□□+ LAN□Wifi + USB□□□+ USB
□□□□	□□EPSON ESC / POS□□□□□□
□□□□	Win9X / Window XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Linux□□□□□□□□□□□□□□□□Android□□SDK □□IOS □□□□
□□□□	79.5±0.5mm□□□□□□□□72mm□
□□□□	83□□

间距	0.06-0.08mm	
□	□□□□□□□□	
间距	100□□	
□□	DC24V / 2.5A	
□□	0-45□C	
□□□□	10-80□	
□□□□	190 * 145 * 145□□□□	
□□	1.60□□	
□□□□	P / N	□□
	OCPP -88A-U	USB□□□□□□□□□□
	OCPP -88A-URL	USB + Serial + Lan□□□□□□□□□□
	OCPP -88A-W	Wifi + USB□□□□□□□□□□
	OCPP -88A-BU	□□+ USB□□□□□□□□□□
	OCPP -88A-U0	USB□□□□□□□□□□
	OCPP -88A-URL0	USB + □□+ Lan□□□□□□□□□□
	OCPP -88A-W0	Wifi + USB□□□□□□□□□□
	OCPP -88A-BU0	□□+ USB□□□□□□□□□□



OCPP-88A





OCPP-88A





OCPP-88A





OCPP-88A





OCPP-88A





OCPP-88A





OCPP-88A





OCPP-88A

