

OCBS - T103

OCBS - T103

Product Description

OCBS

- 32mm x 83mm x 75mm
- 20mm x 98.3mm x 100mm
- RS232/USB
- 2W
- IEC 60825-1 Class II

OCBS

OCBS	
Wavelength	650 nm
Interface	KBW/RS232/USB
OCBS	
Dimensions Lx W x H	140mm * 83mm * 75 mm 157 mm * 98.3 mm * 100 mm
Weight	282g / 379g
Material	Plastic
Color	Black
OCBS	
Operating Voltage	5.0 VDC +/- 10%
Power	275mW
Power Consumption	2W
Compliance	CDRH IIa; IEC 60825-1
OCBS	
Operating Temperature	0°C - 40°C
Storage Temperature	-40°C - 70°C
Humidity	5% - 95%
Beam Diameter	1.2mm
Illuminance	450 Ft @ 4844 Lux 8000Ft @ 86111Lux
OCBS	
Beam Diameter	20mm x 5mm x 20mm
Beam Power	1500mW
Beam Angle	0~360°
Beam Accuracy	+/- 50µm
Beam Diameter	25mm
Beam Diameter	0~216mm @ 13mil / 100µm / UPC / EAN

□□□□□	5mil□□38□□10~64mm 7.8mil□□60□□0~152mm 10.4mil□□80□□0~190mm 13mil□□100□□0~216mm
□□□□□	5mil
□□□□□	UPC / EAN / JAN□UCC / EAN 128□Code128□Code 39□Code 39 Trioptic□Interleaved 2 of 5□Industrial 2 of 5□Matrix 2 of 5□Code 93□Code 11□Code bar□MSI□□

▶ Picture Show





OCBS-T103





OCBS-T103





OCBS-T103





OCBS-T103



▶ Company



▶ Certificates



▶ Payment



▶ Contact us



Richard Hu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 808

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: richard@ocominc.com, richard@ocomtech.com.cn

Skype: ocominc2000; **MSN:** ocomtech@hotmail.com

Ali TM: szocominc; **QQ:** 2485890637

Mobile/Wechat/Whatsapp: 0086. 133 5293 2860



Reliable One-Stop Supplier for POS and Auto-ID Related Products