

(POS-1508) POS 15.8寸 Windows OS / Android POS 15.8寸

M / N POS-1508

OCOM POS 15.8寸 Windows OS / Android POS 15.8寸 MSR VFD / O 15.8寸

15.8寸

15.8寸

Msata SSD 64GB / SSD 128GB / 256GB

15.8寸

MSR VFD220 15.8寸

15.8寸 / 15.8寸

15.8寸

	POS-15 08 -W	POS-15 08 -A
OS	15.8 Windows POS	15.8 Android pos
キーボード	ABS	
タッチパネル	15.8インチ	
解像度	1920 * 1080	
輝度	350cd / m ²	
応答速度	1.60 / 1.50	
カメラ	G+G	
ディスプレイ	15.8 / 15.6インチ 1920 * 1080	
CPU	Intel Celeron Bay Trail J1900 2.0GHz Intel core I3 / I5 4 CPU	ARM Cortex-A17 -RK 3288 1.8GHz CPU
メモリ	1 * SO-DIMM DDRIII 1333 * / 1600 4GB 2GB / 8GB	2GB DDRIII 4GB
ストレージ	Msata SSD 64GB 128GB 256GB	16GB eMMC 32GB TF
オーディオ	Real Tek ALC662 ALC5640	Real Tek ALC5640

网卡	10 / 100Mbps, Realtek RTL8111F 网卡 Mini PCI-E 网卡 WIFI 网卡	10M / 100M RTL8201F 网卡 / 100M / 1000M RTL8211E 网卡
操作系统	Windows 7/8/10 系统 WEPOS Linux	Android 8.1
分辨率	640 * 480 CMOS 摄像头	
功耗	4 小时 3W 功耗	
尺寸	58/80 毫米 超薄设计	
接口		
I/O 接口 RK3288	摄像头 * 1	
	12V DC 接口 * 1	
	RJ-45 * 1	
	USB * 5	
	TF 卡 * 1 / SIM 卡 * 1	
	RJ11 * 1	
重量		
待机时间	0 ~ 40 小时	
充电时间	- 1 小时 60 分钟	
充电效率	10% ~ 80% 充电	
充电效率	10% ~ 90% 充电	
电源		
输入电压	110-240V / 50-60HZ AC 输入 / DC12 V / 5A 输出	
输出	摄像头 / 摄像头	
认证	摄像头	
认证		
认证	FCC A 类 / CE 认证 / LVD / CCC	

摄像头









