15____POS__



	POS-1513W	POS-1513A
	15.1 POS	
	15.10000000	
	1024*768	
	250cd/□□□	
	0000GG0000	
	9.70000000000	
	2*20 VFD 0000000000	
	Intel Celeron J4125, 2.0GHz ☐ intel core I3 / I5 4th CPU ☐☐☐	Rockchip[][]RK3568[][][]2.0G[]RK3288[][]
	1*SO-DIMM DDR400002400mHZ04GB /8GB00	□□DDR4 2GB□4GB□□□□
	Msata SSD 64GB 🖂 🖂 🖂 256GB	
	□□ Real Tek ALC662	□□ Real Tek ALC5640 □□□□
	10/100Mbs Realtek RTL8111F	10/100Mbs∏Realtek RTL8111F LAN □□□
	□□Windows10/11	000008.1
	12V DC 0000*1	
1,70 ₁ 1 412786368)	□□□□RJ-45*1	
	USB*4	
	15PIN D-sub VGA *1	
/O 	HDMI*1 RS 232*1	
J4125	0000*1000000*1	
	0000*1	
	TF[][][*1	
	RJ11 □□*1	
	RS 232*1	
MSR	□□□□MSR	

0 40
-10[60[[
10%~80% 🖂
10%~90% 🖂
□□5.5Kg□□□7.0Kg
440*290*425
110-240V/50-60HZ[[[][[][[][[][[][[][[][[][[][][][][][]
FCC A []/CE [][]/LVD/CCC





















