

15寸 POS 平板电脑  
- 1513W&POS-1513A

图



Intel Celeron或Intel Core I3 I5  
或Rockchip RK3288  
EMMC 8GB/16GB/32GB  
或Msata SSD 64GB SSD 128GB 或 256 GB  
或  
或MSR 或 VFD220 或  
或

图

或  
或  
或  
或  
或

□□

|                                                 |                                                               |                                                                          |
|-------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| □□                                              | POS-1513W                                                     | POS-1513A                                                                |
| □□                                              | 15.1□□□□□□ POS □□                                             |                                                                          |
| □□                                              | □□□□□□□□□□                                                    |                                                                          |
| □□                                              | □□□□                                                          |                                                                          |
| □□                                              |                                                               |                                                                          |
| □□□□                                            | 15.1□□□□□□□□                                                  |                                                                          |
| □□                                              | 1024*768                                                      |                                                                          |
| □□                                              | 250cd/□□□                                                     |                                                                          |
| □□                                              | □□□□160□□□□150                                                |                                                                          |
| □□□□                                            | □□□□GG□□□□                                                    |                                                                          |
| □□□□<br>□                                       | 9.7□□□□□□□□□□□□                                               |                                                                          |
| □□□□<br>□                                       | 2*20 VFD □□□□□□□□□□□□                                         |                                                                          |
| □□                                              |                                                               |                                                                          |
| □□                                              | Intel Celeron J4125, 2.0GHz □ intel core I3 / I5 4th CPU □□□□ | Rockchip□□RK3568□□□□2.0G□RK3288□□                                        |
| □□□□<br>□                                       | 1*SO-DIMM DDR4□□□□□□2400mHZ□4GB /8GB□□                        | □□DDR4 2GB□4GB□□□□                                                       |
| □□□□<br>□                                       | Msata SSD 64GB □□□□□□ 256GB                                   | □□8GB□16GB□32GB EMMC□□□□                                                 |
| □□□□                                            | □□ Real Tek ALC662                                            | □□ Real Tek ALC5640 □□□□                                                 |
| □□□□                                            | 10/100Mbs□Realtek RTL8111F □□□□<br>□□Mini PCI-E□□□□□□□□WIFI□□ | 10/100Mbs□Realtek RTL8111F LAN □□□ □<br>□Wi-Fi 802.11b/g/n□□□BT3.0/BT4.0 |
| □□□□<br>□                                       | □□Windows10/11                                                | □□□□□□8.1                                                                |
| □□□□                                            |                                                               |                                                                          |
| □□□□<br>I/O□□<br>(J41<br>25/<br>RK3<br>568<br>) | □□□□*1                                                        |                                                                          |
|                                                 | 12V DC □□□□*1                                                 |                                                                          |
|                                                 | □□□□RJ-45*1                                                   |                                                                          |
|                                                 | USB*4                                                         |                                                                          |
| □□□□<br>I/O□□<br>□4125                          | 15PIN D-sub VGA *1                                            |                                                                          |
|                                                 | HDMI*1 □ RS 232*1 □□□□                                        |                                                                          |
|                                                 | □□□□*1□□□□□□*1                                                |                                                                          |
| □□□□<br>I/O<br>□4125                            | □□□□*1                                                        |                                                                          |
|                                                 | TF□□□□*1                                                      |                                                                          |
|                                                 | RJ11 □□*1                                                     |                                                                          |
|                                                 | RS 232*1                                                      |                                                                          |

|                 |                                      |
|-----------------|--------------------------------------|
| □□              |                                      |
| MSR             | □□□□MSR                              |
| □□              |                                      |
| □□□<br>□        | 0□40□□□                              |
| □□□<br>□        | -10□60□□□                            |
| □□□<br>□        | 10%~80% □□□                          |
| □□□<br>□        | 10%~90% □□□                          |
| □□              |                                      |
| □□              | □□5.5Kg□□□7.0Kg                      |
| □□□<br>□□□<br>□ | 440*290*425□□                        |
| □□              |                                      |
| □□□<br>□□       | 110-240V/50-60HZ□□□□□□□DC12V/5A□□□□□ |
| □□□             | □□□□□□□□□/□□/□□□□□□□□                |
| □□              |                                      |
| □□              | FCC A □/CE □□/LVD/CCC                |























