

# 15.6 Windows/Android POS

(M/N:POS- 1516 )

OCOM POS 1516 Android windows OS MSR VFD / O

15.6

15.6

15.6

15.6

15.6

15.6

15.6

15.6

15.6

15.6 MSR

15.6

|  |                                                               |                                    |
|--|---------------------------------------------------------------|------------------------------------|
|  | POS-15 16-W                                                   | POS-15 16-A                        |
|  | 15.6 Windows POS                                              | 15.6 pos                           |
|  | ABS                                                           |                                    |
|  | 15.6                                                          |                                    |
|  | 15.6                                                          |                                    |
|  | 1366*768 1920*1080                                            |                                    |
|  | 30 0cd/m <sup>2</sup>                                         |                                    |
|  | 1 60 1 50                                                     |                                    |
|  | G+G                                                           |                                    |
|  | 15.6 1366*768 1920*1080                                       |                                    |
|  | 2*20 VFD 2*20 LCD                                             |                                    |
|  | 15.6                                                          |                                    |
|  | Intel Celeron Bay Trail J1900 2.0GHz Intel core I3 / I5 4 CPU | ARM Cortex-A17 -RK 3288 1.8GHz CPU |
|  | 1*SO-DIMM DDRIII 1333*/1600 4GB 2GB/8GB                       | 2GB DDRIII 4GB                     |
|  | Msata SSD 64GB 256GB                                          | 8GB eMMC 32GB TF                   |

|               |                                                          |                                                 |
|---------------|----------------------------------------------------------|-------------------------------------------------|
| 音源            | Real Tek ALC662<br>ALC5640                               | Real Tek ALC5640                                |
| ネットワーク        | 10/100Mbps Realtek<br>RTL8111F<br>Mini PCI-E WIFI<br>LAN | 10M/100M<br>RTL8201F,10M/100M/1000M<br>RTL8211E |
| OS            | Windows 7/8/10<br>WEPOS Linux                            | Android 7.1 Android 8.1                         |
| I/O           |                                                          |                                                 |
| I/O<br>RK3288 | *1                                                       |                                                 |
|               | 12V DC *1                                                |                                                 |
|               | RJ-45*1                                                  |                                                 |
|               | USB * 5                                                  |                                                 |
|               | RS232* 1                                                 | RS232* 2                                        |
|               | VGA(15Pin D-sub)*1                                       | RJ11 *1                                         |
|               | *1                                                       | *1 *1                                           |
| 電源            |                                                          |                                                 |
| 電源            | 4.0 5.0                                                  |                                                 |
| 寸法            | 460*185* 420mm                                           |                                                 |
| ディスプレイ        |                                                          |                                                 |
| ディスプレイ        | 0 40                                                     |                                                 |
| ディスプレイ        | - 10 60                                                  |                                                 |
| ディスプレイ        | 10%~80%                                                  |                                                 |
| ディスプレイ        | 10%~90%                                                  |                                                 |
| 電源            |                                                          |                                                 |
| 電源            | 110-240V / 50-60HZ DC12V /5A                             |                                                 |
| 電源            | / /                                                      |                                                 |
| 電源            |                                                          |                                                 |
| 認証            |                                                          |                                                 |
| 認証            | FCC A /CE /LVD/CCC                                       |                                                 |















