

# 15.6吋 / 15.6吋 POS 系列

- 1516

## 規格

1. 15.6吋
2. Windows OS
3. ABS 觸控螢幕
4. 1366\*768 解析度
5. 300cd/m<sup>2</sup>
6. 1.60 / 1.50
7. 1366\*768 解析度
8. 2\*20 VFD / 2\*20 LCD
9. RK3568 CPU 1.8GHz

## 規格

項目	POS-15 16-W	POS-15 16-A
螢幕	15.6吋 W 觸控螢幕 OS	15.6吋 POS
螢幕	ABS 觸控螢幕 15.6吋	
螢幕	1366*768 解析度	
螢幕	300cd/m <sup>2</sup>	
螢幕	1.60 / 1.50	
螢幕	1366*768 解析度	
螢幕	2*20 VFD / 2*20 LCD	
螢幕	RK3568 CPU 1.8GHz	
螢幕	2.0GHz Intel Core i3 / i5 4th CPU	
螢幕	1*SO-DIMM DDRIII 1333*/1600 4GB / 2GB/8GB	2GB DDRIII / 4GB
螢幕	M SATA SSD 64GB / 256GB	32 eMMC
螢幕	Realtek ALC662 / ALC5640	Realtek ALC5640
螢幕	10/100Mbs, Realtek RTL8111F / Mini PCI-E WIFI	10M/100M RTL8201F, 10M/100M/1000M RTL8211E
螢幕	Windows 2010 / 7 / 8 / WEPOS, Linux	11
螢幕	RK3288 / J1900	
螢幕	p 12V DC	
螢幕	RJ-45 * 1	
螢幕	USB * 4	
螢幕	(RS232) * 1	(RS232) * 2
螢幕	VGA (15吋 D-sub) * 1	RJ11 * 1
螢幕	* 1	M in * 1, * 1
螢幕	4.0 / 5.0	

P	460*185*420 mm
	0 ~ 40
	- 1 0 ~ 60
	10%~80%
	10%~90%
	110-240V/50-60HZ i , 12 V /5A
	FCC A /CE /LVD/CCC























