

# 15.1 Windows POS

(M/N POS-1518)

OCOM POS-1518 POS intel CPU / O



POS

“”

POS

□□

□□	POS-1518
□□	15.1□□□□ POS □□
□□	□□□□ABS
□□	
□□□	15.1□□□□□□□□
□□□	1024*768 IPS□
□□	350cd/□□□ <sup>2</sup>
□□	□□□178□□□□178
□□□	□□□□GG□□□□
□□	9.7□□□□□□□□□□
MSR	3□□□□□□□□□
□□	
□□	Intel Celeron J6412, 2.0GHz □ Celeron J4125, intel core I3 / I5 11th CPU □□
□□□□	1*SO-DIMM DDR4□□□□□2400mHZ□4GB /8GB /16G□□
□□□□	64GB M.2 SSD □□□□□□ 512GB
□□□/□□□□□□	10/100/1000Mbs, Realtek RTL8111F □□□□ □□Mini PCI-E□□□□□□□□□□WIFI□□
□□□□	□□Windows 10/11
□□□	
□□□ I/O□□J6412	□□□□*1
	12V DC □□□□*1
	□□□□RJ-45*1□USB*8□COM*2□HDMI*1
	□□□□&□□□□□□□□□□*1
	□□□□□□□□□□□ C □□□□□□□□
□□	
□□□□	0□50□□□□
□□□□	-20□60□□□□
□□□□	10%~90% □□□□
□□□□	10%~90% □□□□
□□	

尺寸	6.0英寸/7.7英寸
分辨率	436*400*166英寸
重量	
电源	110-240V/50-60HZ 内置DC12V/5A
接口	USB/音频/网络
认证	
认证	FCC A /CE /LVD/CCC

