

15.6 Windows POS
(M/N:POS-1520)

OCOM 1520 POS Celeron intel core I serie CPU U IO

15.6

MSR

	POS-1520
	15.6WindowsPOS
	ABS
	15.6
	1366*768
	250cd/m ²
	150140
	GG
	13.3W/W/O1366*768
	2*20 VFD 2*20 LCD
	Intel Celeron Bay Trail J1900 2.0GHzintel core I3 / I5 CPU
	1*SO-DIMM DDR3 , 4GB DDR3L /1333MHZ,8GB
	Msata SSD 64GB 256GB
	Real Tek ALC662
	10/100Mbps,Realtek RTL8111F
	Mini PCI-EWIFI
	Windows7/8/10WEPOS,Linux

□□/□□(1900)	□□□□*1,12V DC in Jack*1
	□□□□RJ-45*1
	USB *6
	COM(RS232) * 1,□□□□□□RS232□□□□□
	VGA(15Pin D-sub)*1
	□□□□*1□□□□□□*1
□□	
MSR	□□□ MSR
□□	
□□	□□ 4.0Kg□□□ 6.0Kg
□□□□□□□□	460*295*415mm
□□	
□□□□□	0□40□□□□
□□□□□	-10□60□□□□
□□□□□	10%~80% □□□□
□□□□□	10%~90% □□□□
□□	
□□□□□□	110-240V/50-60HZ□□□□□□□□DC12V/5A□□□□□□
□□□□	□□□□□□□□□□/□□□□□□

























