

□□□

15.6□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□□□□

□□□□□□MSR□□□□□□□□□□

□□□

|                 |   |
|-----------------|---|
| □□              | POS-15 20   |
| □□              | 15.6□□Windows□□□POS□□   |
| □□              | ABS□□□□□□□□□□   |
| □□              | □□□□□□  |
| □□              | 15.6□□□□□□□□□□  |
| □□              | 1366*768  |
| □□              | 25 0cd/m <sup>2</sup>   |
| □□□□□□          | □□□□1 5 0 □□□□1 4 0   |
| □□□□            | □□ □□G+G □□□□   |
| □□□□            | 13.3□□□□□□ W□W/O□□□□□□□□□□1366*768                                |
| □□□□            | 2*20 VFD □ 2*20 LCD □□□□□□□□□□                                    |
| □□              |   |
| □□              | Intel Celeron Bay Trail J1900 2.0GHz□Intel core I3 / I5 CPU □□    |
| □□□□            | 1*SO-DIMM DDR 3 □□□4GB DDR3L / 1333 MHZ□ 8GB □□                   |
| □□□□            | Msata SSD 64GB □□□□□□ 256GB                                       |
| □□□□            | □□ Real Tek ALC662  |
| □□□□            | 10/100Mbs□Realtek RTL8111F □□□□□□<br>□□Mini PCI-E□□□□□□□□□□WIFI□□ |
| □□□□            | Windows 7/8/10□□□□□□WEPOS□Linux                                   |
| □□□□            |   |
| □□ I/O□□J1900 □ | □□□□*1 , 12V DC in Jack *1  |
|                 | □□□□RJ-45*1   |
|                 | USB * 6   |
|                 | COM(RS232) * 1 □□□□□□RS232□□□□□□                                  |
|                 | VGA(15Pin D-sub)*1  |
|                 | □□□□*1 □□□□□□*1   |
| □□              |   |
| MSR             | □□□ MSR   |
| □□              |   |
| □□              | □□4.0□□□ □□6.0□□  |
| □□□□□□□□        | 460*295 * 415□□   |
| □□              |   |
| □□□□            | 0□40 □□□  |
| □□□□            | - 10□60□□□□   |
| □□□□            | 10%~80% □□□   |

|       |   |
|-------|---|
| □□□□  | 10%~90% □□□                                   |
| □□    |   |
| □□□□□ | 110-240V / 50-60HZ □□□□□□□□ DC12V / 5A □□□□□□ |
| □□□   | □□□/□□/□□□□□□□□□□□□                           |











