

POS-1728 17" J1900 Windows

M / N POS -1728

□□□

□□□□J1900□□2.0 GHZ
 SSD 64GB□□□□□□□□□□□□□□
 17"□□□□□□□□□□□□□□□□□□□□
 □□□□□□VFD□□□□□□□□□□□□□□
 □□I/O□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□	POS -1728
□□□□	□□□□
□□□□	VFD220E□□
□□	□□□□□□□□
□□□□□□	□□□□□J1900□□2.0 GHZ
□□□□	□□□□NM70
□□	DDRIII 1066/1333 * 1 4GB□□□□□□
□□	SSD 64 GB□□□□□□
□□□□□□□□	17"□□TFT LCD
□□	350cd /□ ²
□□□□	1280 * 1024□□□□□□
□□□□	□□□□□□□□□□
□□□□□□	□□□□150; □□□□140
I / O□□	1 *□□□□□12V DC□□□□□* 1
	□□* 1 DB9□□
	□□□□1 * DB25□□
	VGA□15"□D-sub□* 1
	□□□□RJ-45 * 1
	USB□2.0□* 4□USB□3.0□* 2
	□□□□* 1
	□□□□* 1

□□□□	0°C□40°C
□□□□	-20°C□60°C
□□□□	FCC A□/ CE□□/ LVD / CCC
□□□□	Windows XP□□□□□□□□□□WE POS□Linux
□□□□□	110-240V / 50-60HZ AC□□□□□DC12 / 5A□□





POS-1728





POS-1728





POS-1728



□□□□

1. □□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2. □□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□ / t□western uion□paypal□□□□□□□□□□□□□□□□□□□□□□□□□□□□

3. □

OCOM

500 100

12 + 1 24

30 DOA DOA

4.

Paypal Moneybookers Visa MasterCard

Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

POS ID 500

1 O2 Star ...

3000 165 /

13 OEM / ODM

POS

ISO CE FCC Soncap POA BIS

12 + 1

“ ”