

17寸 POS

M / N POS -1728

寸

处理器 J1900 2.0 GHZ;

SSD 64GB

17寸 TFT LCD

VFD 220E

I / O

寸

处理器 J1900 2.0 GHZ;

SSD 64GB

17寸 TFT LCD

VFD 220E

寸

寸	POS -1728
寸	寸
寸	VFD220E
寸	寸
寸	处理器 J1900 2.0 GHZ i3 / i5 / i7
寸	寸 NM70
寸	DDRIII 1066/1333 * 1 4GB 8GB / 16GB RAM
寸	SSD 64 GB
寸	17寸 TFT LCD
寸	350cd / 2
寸	1280 * 1024
寸	寸
寸	寸 150; 寸 140
I / O	1 * 寸 12V DC * 1
	寸 * 1 DB9
	寸 * 1 DB25
	VGA 15 D-sub * 1
	寸 RJ-45 * 1
	USB 2.0 * 4 USB 3.0 * 2
	寸 * 1
	寸 * 1

□□□□	0°C□40°C
□□□□	-20°C□60°C
□□	FCC A / CE□□ / LVD / CCC
□□□□	Windows XP□□□□□□□□WE POS□Linux
□□□□□	110-240V / 50-60HZ AC□□□□DC12 / 5A□□



POS-1728





POS-1728





POS-1728





POS-1728





POS-1728





POS-1728

