

POS 58mm USB

OCPP -C581

规格

90mm / s

USB

USB + LAN / USB + BT / USB + WIFI

nv logo

ESPON

50KM

60

参数

分辨率	384 / 203DPI
打印速度	384 / ANK A 12 * 24 1.5 W * 3.0 H mm / 24 * 24 3.0 * 3.0 mm
条码	JAN13 / EAN13 / JAN8 / EAN8 / CODE39
接口	EPSON ESC / POS
厚度	90 /
重量	57.5 ± 0.5
厚度	0.06-0.08mm
MCBF	50
打印量	600,000
NV Flash	64KB
内存	32KB
尺寸	169.3 * 122 * 113
重量	1.2KG
接口	
接口	
接口	Φ60mm
接口	USB / USB + LAN / USB + BT / USB + wifi MOQ = 120
接口	ESPON 9X / Win 2000 / Win 2003 / Win XP / Win Vista / Win 7 win8 win10
电源	AC 110V / 220V 50-60Hz
电源	DC12V / 2.6A
电源	DC12V / 1A
温度	0-45°C / 10-80
温度	-10-60°C / 10-90
认证	CE / FCC / CCC / RoHS





OCP-PP-C581



注意： 切刀被卡住操作方法
可关闭电源重启，使打印机切刀复位，如不能复位，
打开此盖，手动调整刀轴，随后转动使切刀复位。





OCPP-C581





OCP-581



