□□□□□□15□□POS□

□M / N□POS -8815Plus□

□□□

Intel Celeron J1900□□1.99 GHZ;

□□□□□SSD 32GB□□□□□SSD□HDD□□;

□□□□□□□□□□□□□□;

□□□□□□□□;

□□□□□□□;

□□□□VFD□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□;

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□;

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□;

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□

□□	POS-8815Plus
□□	□□
□□□□□□	VFD220□LCD220□MSR
□□	□□□□□□□□□
□□□□□	□□□□□J1900□□1.9 GHZ
□□□	□□□NM70
□□□□	DDRIII 1066/1333 * 1 2GB□□□□
□□□□□	SSD 32GB□□□□
□□□□□□	15.1□□TFT LCD
□□	□□350cd /□^{2}
□□□	1024 * 768□□□□
□□□	□□□□□□□

□□	□□□□150;□□□140
I / O□□	1 *□□□□12V DC□□* 1
	HDMI * 1
	VGA□15Pin D-sub□* 1
	LAN□RJ-45 * 1
	USB□2.0□* 6
	RS232 * 2

□□□□	0℃□40℃
□□□□	-20℃□60℃
□□	FCC A / CE□□/ LVD / CCC
□□□□	Windows XP□□□Embedded□WE POS□Linux
□□□□□	110-240V / 50-60HZ□□□□□□□DC12 / 5A□□

ocom®

At your side

POS-8815Plus

ISO FC CE RoHS

Aocom®
At your side
POS-8815Plus
ISO
FC
CE
RoHS

ocom®
At your side
POS-8815Plus
ISO
FC
CE
RoHS

Aocom®
At your side
POS-8815Plus
ISO
FC
CE
RoHS

Aocom®
At your side

POS-8815Plus

ISO FC CE RoHS

ocom®
At your side

POS-8815Plus

ISO FC CE RoHS

POS-8815Plus

Aocom®
At your side

POS-8815Plus

ISO FC CE RoHS

Aocom®

At your side

POS-8815Plus

ISO FC CE RoHS