

POS & Android POS

(M/N:POS-A15/A15-A)

OS:

Windows Board① J1900 2.0GHz CPU

Android Board② 2.0GHz A83T ARM 8 Cortex-A7

2GB RAM+32GB ROM

Screen

58mm 80mm

MSR, IC, RFID

Printer

Barcode:

Barcode, QR, 1D, 2D

Barcode: 1D, 2D, QR, 1D, 2D

Barcode: 1D, 2D, QR, 1D, 2D

Barcode: 1D, 2D, QR, 1D, 2D

Barcode:



Barcode:

Model	POS-A15/POS-A15-A
Board①	J1900 2.0GHz
Board②	2.0GHz A83T 8 Cortex-A7
OS①	Windows7
OS②	Android 4.4
Memory①	2GB RAM 32GB
Memory②	2GB RAM EMMC 32GB
Screen	15.6 inch
Screen	15.6 inch
Color	White
Dimensions	58mm 80mm
i/o Board (J1900)	USB*4
	RJ45*1
	RJ11*1
	HDMI * 1
	DB9 RS232 * 1

i/o 接口 (@A83T)	RJ11*1
	TF 接口 * 1
	RJ45*1
	HDMI * 1 (接口)
	USB*2
	DB9 RS232 port*1
	Audio*1
	USB OTG 接口
	工作温度
Other 接口 (接口)	接口, WIFI, GPS
接口 (接口)	I3 I5 CPU, LCD 接口, RFID, 接口 IC 接口 camera,3G, DB25 接口, DB9 RS232 port*3
接口 (接口)	3接口, camera, LCD 接口, RFID, 接口 IC 接口, 接口
工作温度	-20°Cto 60°C
尺寸	46 * 43 * 51 毫米
电源	110-240V/50-60HZ 接口, 接口 DC12/5A 接口



# POS-A15



[www.ocominc.com](http://www.ocominc.com)

CE FC





