

android pos

(M/N:POS-A15/A15-A)

:

J1900 2.0GHz windows cpu

2.0GHz A83T 8-Cortex-A7, android

2GB RAM+32GB rom

58mm 80mm

msr, ic, rfid ()

:

: , , , ,

: , , ,

: , , , ,

: , , ,

:



:

	POS-A15/POS-A15-A
board①	J1900 2.0GHz
board②	2.0GHz A83T 8 Cortex-A7
os①	\$modeltype (beta)
os②	android 4.4
memory①	2GB ram 32GB ssd
memory②	2GB ram EMMC 32GB
	screen15.6 , screen15.6inch
	white
	58mm 80mm
i/o (J1900)	USB*4
	RJ45*1
	RJ11*1
	hdmi * 1 ( )
	DB9 * 1

i/o 接口 (@A83T)	RJ11*1
	tf 接口 * 1
	RJ45*1
	hdmi * 1 (接口)
	USB*2
	DB9 接口 port*1
	Audio*1
	usb otg 接口
接口 接口	\$number °C \$number °C
其他 接口 (Andriod)	接口, wifi, gps
接口 接口 (接口)	15 cpu, lcd vfd 接口, rfid, 接口 ic 接口 cammera,3G, DB25 接口, DB9 接口 port*3
接口 接口 (Andriod)	3接口, cammera, 接口 vfd 接口, rfid, 接口 ic 接口, msr
接口 接口	-20°Cto °C
接口 接口	46 * 43 * 51 接口
接口 接口	110-240V/50-60HZ 接口, 接口 DC12/5A 接口



# POS-A15



[www.ocominc.com](http://www.ocominc.com)

CE FC





