

android pos

(M/N:POS-A15/A15-A)

:

J1900 2.0GHz windows cpu

2.0GHz A83T 8-Cortex-A7, android

2GB RAM+32GB rom

58mm 80mm

msr, ic, rfid ()

:

: , , , ,

: , , ,

: , , , ,

: , , ,

:



:

| | |
|-------------|-----------------------------|
| | POS-A15/POS-A15-A |
| board① | J1900 2.0GHz |
| board② | 2.0GHz A83T 8 Cortex-A7 |
| os① | \$modeltype (beta) |
| os② | android 4.4 |
| memory① | 2GB ram 32GB ssd |
| memory② | 2GB ram EMMC 32GB |
| | |
| | screen15.6 , screen15.6inch |
| | white |
| | 58mm 80mm |
| i/o (J1900) | USB*4 |
| | RJ45*1 |
| | RJ11*1 |
| | hdmi * 1 () |
| | DB9 * 1 |

| | |
|-----------------|---|
| i/o 接口 (@A83T) | RJ11*1 |
| | tf 接口 * 1 |
| | RJ45*1 |
| | hdmi * 1 (接口) |
| | USB*2 |
| | DB9 接口 port*1 |
| | Audio*1 |
| | usb otg 接口 |
| 接口 接口 | \$number °C \$number °C |
| 其他 接口 (Andriod) | 接口, wifi, gps |
| 接口 接口 (接口) | 15 cpu, lcd vfd 接口, rfid, 接口 ic 接口 cammera,3G, DB25 接口, DB9 接口 port*3 |
| 接口 接口 (Andriod) | 3接口, cammera, 接口 vfd 接口, rfid, 接口 ic 接口, msr |
| 接口 接口 | -20°Cto °C |
| 接口 接口 | 46 * 43 * 51 接口 |
| 接口 接口 | 110-240V/50-60HZ 接口, 接口 DC12/5A 接口 |



POS-A15



www.ocominc.com

CE FC





