

Windows& AndroidPOS

M / N POS -A15.6 / A11.6

Feature

Windows19002.0GHzCPU  
Android2.0GHz RK3288 ARM 8Cortex-A7  
2GB RAM + 8GB ROMAndroid  
2GB RAM + 32GB SSDWindows  
58mm80mm  
MSRRFID

Option

Model

|           |                                          |
|-----------|------------------------------------------|
|           | POS -A15.6 / POS -A11.6                  |
| ①         | 19002.0GHz                               |
| ②         | 2.0GHz RK3288 ARM 8Cortex-A7             |
| OS①       | Windows7                                 |
| OS②       | Android 5.1                              |
| Memory①   | 2GB RAM 32GB SSD                         |
| Memory②   | 2GB RAM 8GB ROM                          |
|           |                                          |
|           | 15.6 / 11.615.6 / 11.6                   |
|           |                                          |
|           | 58mm80mm                                 |
|           | USB * 4                                  |
|           | RJ45 * 1                                 |
| I / O1900 | RJ11 * 1                                 |
|           | HDMI * 1                                 |
|           | DB9 RS232* 1                             |
|           | RJ11 * 1                                 |
|           | TF* 1                                    |
|           | RJ45 * 1                                 |
| I / OA83T | HDMI * 1                                 |
|           | USB * 2                                  |
|           | DB9 RS232* 1                             |
|           | * 1                                      |
|           | USB OTG                                  |
|           | 0°C40°C                                  |
| Android   | WIFIGPS                                  |
| Windows   | I3 I5 CPU LCD VFD RFID MSR cammera3GDB25 |
| Android   | DB9 RS232* 3                             |
|           | 3G / 4G cammera LCD VFD RFID MSR         |
|           | -20°C60°C                                |
|           | 46 * 43 * 51                             |
|           | 110-240V / 50-60HZDC12 / 5A              |

Accessories





[www.ocominc.com](http://www.ocominc.com)

CE FCC



15.6 Windows Android POS 15.6 Windows Android POS 15.6 Windows Android POS