

15吋POS

M / N POS-E15-W / A

OS

Windows / Android

Windows Intel Celeron 1900 2.0GHz CPU

Android RK3288

2GB RAM + 8GB ROM Android

2GB RAM + 32GB SSD Windows

15.6吋

15.6吋 / 11.6吋

58 / 80mm

MSR RFID

OS

OS



□□□

□□	POS-E15.6-W / POS-E15.6-A
□□①	□□□□□□□□1900□□1.99GHz□Windows□
□□②	RK3288□□□□□□Android□
OS①	Windows7□□□□□□
OS②	Android 6.0
Memory①	2GB RAM 32GB SSD□Windows□
Memory②	2GB RAM 8GB eMMC□Android□
□□□	□□□□□□□□
□□□□	15.6□□□16□9
□□□	1366 * 768
□□□□	LCD□□□□□□□□□□ □□□11.6□15.6□□□□□□□VFD□□□□□□
□□	□□
□□□	58mm□□□□□□□□□□□□□□80mm□□□□□□□□□□
I / O□□□①J1900□	USB * 6
	RJ45 * 1
	RJ11 * 1□□□□
	VGA * 1
	HDMI * 1□□□□□
	DB9 RS232□□* 2□□□4□COM□□□
I / O□□□②RK3288□	RJ11 * 1□Optional□
	TF□□* 1
	RJ45 * 1
	HDMI * 1□□□□□
	USB * 2□□□□4□□□□
	DB9 RS232□□* 1
	□□* 1

□□□□	0°C□40°C
□□□□Android□	□□□□WIFI
□□□□Windows□	RFID□MSR□LCD VFD i-Button□DB25□□□□□DB9 RS232□□* 4
□□□□Android□	3G□4G□LCD VFD□□□□□RFID□MSR□I-Button
□□□□	-20°C□60°C
□□□□□	110-240V / 50-60HZ AC□□□□□12 / 24V□□□□□□□□□□□





POS-E15





POS-E15





POS-E15







POS-E15







POS-E15



2*20(VFD/LCD)





POS-E15





POS-E15





80MM thermal printer with automatic cutter



58MM large gear thermal printer



No disassembly, easy replacement



POS-E15

